


XILI SMART[®]

Linear lighting



XILI SMART is committed to excellence and innovation. As the saying goes, God is in the detail. So we always pay special attention to the details in order to meet the clients' expectations. That's why we have gained a good reputation both at home and abroad.

Our products are designed and manufactured in our factory, located in Foshan City. We have a wonderful team who is equipped with the latest technological innovations and with a hot heart to keenly observe and capture the ideas.

Our goal is to be a great brand in the field of linear lighting. We believe that our products would reach to the world and bring a new life style of lighting to more countries all over the world.



Pg 76




Pg77



Pg81




The staggered installation layer by layer is simple and practical. Under the lighting of the light, the light becomes a beautiful scenery in the furniture. The combination of aluminum stair handrail and lighting makes the simple space more atmosphere.




The selling point of this series is to break the shackles of traditional linear lights and make light fixtures full of imagination. Unique light fixtures are always popular in the market, they can beautify the decoration effect and outline the sense of space. Thanks to our strong production capacity and problem-solving ability, we support customized product according to customer drawings, and we can complete the production excellently to meet customer's expectations.




Dimension




XL 199-M2525



XL 167-M3535



XL 202-M4355



XL 695-M5160

Accessories




International certification




Color board




Certification




Cabinet and furniture series - pg021~pg037




344-M1519
pg021




520-Y1609
pg023




562-Y1509
pg024




170-Y2409
pg025




521-Y0709
pg026




004-M1513
pg050




003-M1814
pg051




058-M1814
pg051




006-M1712
pg052




048-M1714
pg053




130-M1715
pg054




531-M1313
pg027




559-M2010
pg028




561-M2311
pg029




565-Y1310
pg030



564-Y2010
pg031




065-M2522
pg032




071-M2410
pg055




209-M1409
pg056



178-M2109
pg057




179-M1513
pg057




210-M2010
pg058


010




229-M3617
pg033




191-M2919
pg034




183-M3020
pg035




560-Y1909
pg035




067-M2508
pg037




098-M3909
pg037




168-M2020
pg059




121-M3020
pg059




114-M2321
pg060



334-M2515
pg061




818-M2427
pg063




026-M3030
pg063

011


Surface-mounted series - pg038~pg065




129-M0809
pg038




196-M1010
pg039




086-M1013
pg041




187-M1213
pg041



066-M1208
pg043




107-M1308
pg043




108-M1515
pg045


Corner light series - pg067~pg073




111-M3535
pg064




627-M3535
pg065




551-M1505
pg067




552-M1805
pg067




008-M1616
pg069




336-M1510
pg045




012-M1506
pg047




013-M1707
pg047




034-M1712
pg049




035-M1712
pg049




005-M1407
pg050




011-M1818
pg069




211-M0808
pg071




212-M1313
pg071



153-M3030
pg073





153-M3030
pg073







816-BM5050
pg073

Laminate&Stair linear light series ■ pg074~pg083




Recessed series ■ pg101~pg115




Three-side light series ■ pg085~pg093


012






013




Clapboard series ■ pg095~pg099




Trimless recessed series ■ pg117~pg127







295-D2513
pg157




296-D1713
pg157




077-D2711
pg159




131-D2126
pg159




689-BM5075
pg179




184-BM2427
pg180




682-BY4633
pg181




684-BY6645
pg181



246-D2544
pg161




213-D3052
pg161




244-D5052
pg161

Magnetic track light
and Anti-glare
series
■ pg165~pg181


Surface-mounted series ■ pg185~pg187




641-BM5035
pg185



822-BM7535
pg185




668-BM10035
pg186




678-BM12045
pg186

Recessed series ■ pg189~pg191


016




219-C7052
pg165




220-C7052
pg166




218-C2652
pg167




541-MB30
pg168




241-MB1670
pg169




679-M15045
pg187



686-BM20050
pg187




078-BY3627
pg189




640-BY6535
pg189


017




332-BM4075
pg170




240-BM6270
pg171




836-BM4375
pg174




825-WM3370
pg175




667-BY12035
pg190



821-BY9535
pg190




680-BY13245
pg191




681-BY16245
pg191


Suspended series ■ pg193~pg219




827-WM5580
pg175




688-MB5575
pg176




284-BM1724
pg177




549-BM2637
pg177




364-BM5075
pg193




363-BM7075
pg193




699-BM3475
pg194




674-BM5090
pg194




675-BM7595
pg195




698-BM5075
pg197




110-BM5075
pg197




625-BM3860
pg210




624-BM6565
pg211




633-BM8075
pg213




501-BM5050
pg198




502-BM7080
pg198




132-BM5575
pg199



687-BM10080
pg213




639-BM60
pg214




193-BM86100
pg215


018




666-BM7575
pg202




665-BM10075
pg202




676-BM12075
pg203




677-BM15075
pg203



620-BM7250
pg216




182-BM6052
pg216




238-BM2555
pg217




019




644-BM5075
pg204




643-BY6875
pg205



647-BM7575
pg207




649-BM10075
pg207




606-BM11060
pg219


Tri-proof light series ■ pg221~pg225




694-S8065
pg221




302-S8065
pg222




605-S6042
pg223




646-BY9575
pg209




648-BY12075
pg209



815-S6055
pg223




618-S9860
pg224



622-S9070
pg225

Mini size
Surface-mounted linear fixture

Mini size
Suspended office lighting





020

021

Dimension

Installation steps



Accessories



These Surface-mounted linear fixtures are our hot-selling products with a narrow, low profile. The 118-degree beam angle is ideal for a wide, even spread of light like in cove and wall-washing applications. They can create clean, modern linear designs for retail stores, commercial buildings and residential interiors. Some of them can also be used in conjunction with our tiltable stands. There are includes a choice of clear, frosted or milky diffuser. We also support customized product if you have a good idea.

XL 344-M1519

Mini size Cabinet and furniture series

Lighting is no longer just a lighting function,
but creates a high-grade and elegant beauty for the cabinet,
which is pleasing to the eye.




022






023



Dimension




Installation steps



Accessories



XL 520-Y1609



024



025

Dimension



Installation steps


- 1
- 2
- 3

Accessories



XL 562-Y1509

Dimension



Installation steps

- 1
- 2
- 3

Accessories



XL 170-Y2409





026




027

Dimension

Installation steps





Accessories




XL 521-Y0709

Dimension

Installation steps



Accessories




XL 531-M1313







028



029



Dimension




Accessories


XL 559-M2010



Dimension



Installation steps



Accessories

XL 561-M2311




030




031



Dimension



Installation steps




Accessories




XL 565-Y1310



Dimension



Installation steps



Accessories




XL 564-Y2010




032




033



Dimension




Installation steps




Accessories




XL 065-M2522



Dimension



Installation steps




Accessories



XL 229-M3617




034




XL 183-M3020

Dimension




Installation steps




Accessories

035




XL 191-M2919


Dimension



Installation steps




Accessories




XL 560-Y1909

Dimension



Installation steps



Accessories

Mini size Cabinet and furniture series


Lighting is no longer just a lighting function,
but creates a high-grade and elegant beauty
for the cabinet, which is pleasing to the eye.



036




037



XL 098-M3909

Dimension




Installation steps


-1




-2



-3



XL 067-M2508



Accessories







038

Dimension

Installation steps



Accessories





XL 129-M0809

Dimension

Installation steps

039



Accessories




XL 196-M1010

Mini size

Surface-mounted linear fixture


These Surface-mounted linear fixtures are our hot-selling products with a narrow, low profile. The 118-degree beam angle is ideal for a wide, even spread of light like in cove and wall-washing applications. They can create clean, modern linear designs for retail stores, commercial buildings and residential interiors. Some of them can also be used in conjunction with our tiltable stands. There are includes a choice of clear, frosted or milky diffuser. We also support customized product if you have a good idea.

040




XL 086-M1013

Dimension



Mini size
Surface-mounted series

Installation steps




Accessories




041

Dimension



Installation steps



Accessories



XL 187-M1213


Mini size

Surface-mounted linear fixture


These Surface-mounted linear fixtures are our hot-selling products with a narrow, low profile. The 118-degree beam angle is ideal for a wide, even spread of light like in cove and wall-washing applications. They can create clean, modern linear designs for retail stores, commercial buildings and residential interiors. Some of them can also be used in conjunction with our tiltable stands. There are includes a choice of clear, frosted or milky diffuser. We also support customized product if you have a good idea.



Dimension



Installation steps




XL 066-M1208


Accessories



Dimension



Installation steps



XL 107-M1308

Accessories



Mini size
Surface-mounted linear fixture

Mini size

Surface-mounted series





Dimension

Installation steps



XL 108-M1515



Accessories





Dimension

Installation steps



XL 336-M1510



Accessories



044

045

These Surface-mounted linear fixtures are our hot-selling products with a narrow, low profile. The 118-degree beam angle is ideal for a wide, even spread of light like in cove and wall-washing applications. They can create clean, modern linear designs for retail stores, commercial buildings and residential interiors. Some of them can also be used in conjunction with our tiltable stands. There are includes a choice of clear, frosted or milky diffuser. We also support customized product if you have a good idea.



Mini size

Surface-mounted linear fixture

These Surface-mounted linear fixtures are our hot-selling products with a narrow, low profile. The 118-degree beam angle is ideal for a wide, even spread of light like in cove and wall-washing applications. They can create clean, modern linear designs for retail stores, commercial buildings and residential interiors. Some of them can also be used in conjunction with our tiltable stands. There are includes a choice of clear, frosted or milky diffuser. We also support customized product if you have a good idea.




Dimension



XL 012-M1506


Installation steps



Accessories




Dimension



XL 013-M1707

Installation steps



Accessories



Mini size
Surface-mounted linear fixture




048




XL 034-M1712

Dimension



Installation steps




Accessories




049


Dimension



Installation steps




Accessories




XL 035-M1712


These Surface-mounted linear fixtures are our hot-selling products with a narrow, low profile. The 118-degree beam angle is ideal for a wide, even spread of light like in cove and wall-washing applications. They can create clean, modern linear designs for retail stores, commercial buildings and residential interiors. Some of them can also be used in conjunction with our tiltable stands. There are includes a choice of clear, frosted or milky diffuser. We also support customized product if you have a good idea.



Dimension




Installation steps




Accessories




XL 005-M1407



Dimension



Installation steps




Accessories




XL 003-M1814

050


051



Dimension




Installation steps




Accessories




XL 004-M1513



Dimension



Installation steps



Accessories





XL 058-M1814



052

Dimension

Installation steps



Accessories





XL 006-M1712

Dimension

Installation steps

053



Accessories






XL 048-M1714



054

Dimension

Installation steps



Accessories







XL 130-M1715



055

Dimension

Installation steps



Accessories




XL 071-M2410




XL 178-M2109

Dimension



Installation steps



Accessories




056




XL 209-M1409

Dimension



Installation steps



Accessories




057




XL 179-M1513

Dimension



Installation steps



Accessories










058

Dimension

Installation steps



Accessories



XL 210-M2010







059

Dimension

Installation steps




XL 168-M2020



Accessories



XL 121-M3020









060

Dimension

Installation steps



Accessories







XL 114-M2321



061

Dimension

Installation steps



Accessories



XL 334-M2515

Trimless series

Surface-mounted series


Mini size

Surface-mounted series




XL 818-M2427

Dimension



Installation steps



Accessories




062




XL 026-M3030

Dimension



Installation steps



Accessories



063




These Surface-mounted linear fixtures are our hot-selling products with a narrow, low profile. The 118-degree beam angle is ideal for a wide, even spread of light like in cove and wall-washing applications. They can create clean, modern linear designs for retail stores, commercial buildings and residential interiors. Some of them can also be used in conjunction with our tiltable stands. There are includes a choice of clear, frosted or milky diffuser. We also support customized product if you have a good idea.



064

Dimension

Installation steps



Accessories






XL 111-M3535



065

Dimension

Installation steps



Accessories




XL 627-M3535



066




Corner light fixture series product is a compact, rounded asymmetrical channel with a 120-degree beam angle ideal for a wide, even spread of light. This channel is designed for corner and angled applications and includes a choice of clear, frosted or milky diffuser.



067

Dimension


Installation steps



Accessories



XL 551-M1505
XL 552-M1805









068

069

Dimension


Installation steps



Accessories



Corner light fixture series product is a compact, rounded asymmetrical channel with a 120-degree beam angle ideal for a wide, even spread of light. This channel is designed for corner and angled applications and includes a choice of clear, frosted or milky diffuser.




070

071


Corner light fixture series product is a compact, rounded asymmetrical channel with a 120-degree beam angle ideal for a wide, even spread of light. This channel is designed for corner and angled applications and includes a choice of clear, frosted or milky diffuser.

Dimension



Installation steps



XL 211-M0808



XL 212-M1313



Accessories








072






073



Dimension




Installation steps




Accessories






074

Dimension



Installation steps




Accessories

XL 330-M2815




075

Dimension



Installation steps





Accessories

XL 195A-M1015



XL 171-M1312








076

Dimension

Installation steps



Accessories





XL 305-M5149



077

Dimension


Installation steps




Accessories



XL 345-M7598



078





XL 352-M2310




XL 268-M7525

Dimension



Installation steps



Accessories




079




XL 231-M3626

Dimension



Installation steps



Accessories




Trimless series

Laminate&Stair linear light series


Large size
Laminate&Stair linear light series

080




XL 158-M62100

Dimension



Installation steps



081

Accessories





082

Trimless series


Laminate&Stair linear light series

The staggered installation layer by layer is simple and practical. Under the lighting of the light, the light becomes a beautiful scenery in the furniture. The combination of aluminum stair handrail and lighting makes the simple space more atmosphere.




XL 6066-M23075

Dimension



Installation steps



083

Accessories



Mini size Three-side light series

The staggered installation layer by layer is simple and practical. Under the lighting of the light, the light becomes a beautiful scenery in the furniture
The combination of aluminum stair handrail and lighting makes the simple space more atmosphere






084


085

Dimension

Installation steps



XL 342-M1619



Accessories







086

Dimension

Installation steps



Accessories





XL 156-MB2020

087

Dimension


Installation steps



Accessories





XL 541-BM30



088

Dimension

Installation steps



Accessories





XL 550-BM40



089

Dimension

Installation steps



Accessories



XL 631-M2120







090

Dimension

Installation steps




XL 070-M2020



Accessories



XL 070-M2020








091

Dimension

Installation steps




XL 069-M2027





Accessories



XL 069-M2027







092

Dimension

Installation steps



Accessories





XL 174-M3035

093

Dimension

Installation steps



Accessories



XL 175-M4542

Clapboard series

Corner linear fixture


The traditional profile of wall panel can only play the role of edge closing. When the element of light is implanted, the atmosphere lighting can be realized and the modern lighting concept can be perfectly realized




Mini size
Clapboard series



Dimension



Installation steps



Accessories

095

XL 1001-H1310





094



096

Dimension

Installation steps







Accessories

XL 1002-H3012

097


Dimension

Installation steps



Accessories

XL 1003-H4012







XL 1006-H3012



098

Dimension

Installation steps



XL 1004-H3015








099

Dimension


Installation steps



XL 1007-H3015



XL 1005-H4015




Recessed series

Corner linear fixture

Mini size
Recessed series




100






XL 249-Y1010

Dimension



Installation steps




Accessories






XL 516-Y1510


Dimension



Installation steps




Accessories




XL 367-Y1109

Dimension



Installation steps




Accessories



XL 140-Y1312

Dimension



Installation steps

Accessories



101


Recessed series

Corner linear fixture


Mini size
Recessed series



102





XL 337-Y2110




XL 176-Y1712

Dimension




Installation steps


-1



-2



-3



Accessories



103

Recessed series

Corner linear fixture

Mini size
Recessed series




104






XL 014-Y2407

Dimension




Installation steps

105



XL 335-Y2810



Accessories








106

Dimension

Installation steps



Accessories






XL 226-Y3014

107

Dimension

Installation steps



Accessories




XL 044-Y3110




108

Dimension


Installation steps




-1



-2



-3



Accessories





XL 006B-Y2412




109

Dimension


Installation steps




-1



-2



-3



Accessories



XL 074-Y2514




110

Dimension


Installation steps




XL 177-Y2820




-1



-2




-3



Accessories



XL 180-Y4320




111

Dimension


Installation steps



XL 115-Y3010



-1



-2



-3



Accessories



Recessed series

Corner linear fixture

Medium size
Recessed series




112




XL 109-Y4435

Dimension




Installation steps



Accessories




113




XL 628-Y4435

Dimension




Installation steps



Accessories








114

Dimension

Installation steps





XL 195B-Y1411



Accessories



XL 129B-Y1109






XL 013B-Y2207


Dimension

Installation steps


115



Accessories




XL 048B-Y2215



Trimless recessed series


Corner linear fixture

Medium size
Trimless recessed series




116

Model-1



Model-2





Model-3






XL 348-C7230


Dimension



Installation steps



Accessories




117



118




119





XL 321-C4610

Dimension




Installation steps



Accessories




XL 125-C5513






XL 329-C5513

Dimension




Installation steps




Accessories




XL 201-C5715






120




121

Dimension



Installation steps




Accessories




XL 833-C7235

Dimension




Installation steps



Accessories



XL 122-C6214




XL 186-C9718

Trimless recessed series

Corner linear fixture


This series products fully integrated architectural lighting, it offers unprecedented visual possibilities through Invisible line.

The profiles can be easily integrated at a minimum installation depth of only 10 mm. The almost infinite three-dimensional matching combinations offer unprecedented freedom to satisfy all creative ambitions.




XL126-C5022

Dimension



Installation steps




Accessories




XL127-C4624

Dimension



Installation steps



Accessories









124

Dimension


Installation steps



XL 272-C2041



XL 124-C3313




Accessories








125

Dimension


Installation steps



XL 563-C5314



XL 123-C6214



Accessories



Trimless recessed series

Corner linear fixture

This series products fully integrated architectural lighting, it offers unprecedented visual possibilities through Invisible line.

The profiles can be easily integrated at a minimum installation depth of only 10 mm.


The almost infinite three-dimensional matching combinations offer unprecedented freedom to satisfy all creative ambitions.



Medium size


Trimless recessed series

Dimension



XL 537-C3828


Installation steps



Accessories




Dimension



XL 538-C5420

Installation steps



Accessories




126

127

Large size
Indirect lighting series

Large size
Indirect lighting series




128



129

Dimension


Installation steps



XL 304-C15242

Accessories







130



131





XL 553-C4319




XL 331-C4419

Dimension




Installation steps




Accessories




Dimension



Installation steps



Accessories




XL 320-C4233




132

Dimension



Installation steps



Accessories




XL 316-C5850




133

Dimension



Installation steps



Accessories




XL 555-C8654






134

Dimension



Installation steps



XL 340-C7028



Accessories



XL 317-C9035





135

Dimension


Installation steps




XL 376-C10360




Accessories



XL 261-C10645









136

Dimension

Installation steps



Accessories








XL 259-C8959






137

Dimension

Installation steps



OR



Accessories






XL 693-C10068



138

Dimension

Installation steps






Accessories



139


Dimension

Installation steps




Accessories






XL 232-M5036

Dimension



Installation steps




Accessories




140

Dimension



Installation steps



Accessories




XL 260-C9835




XL 227-M3618

Dimension



Installation steps



Accessories



141

Large size

Skirting light fixture

Large size
Skirting light series

142



The skirting lights play a visual balance in the room design. Using their linear vision, materials and colors to echo each other, they can beautify the decoration effect and outline the sense of space. Another function of the skirting line is its protection function. The skirting line can better bond the wall and the ground firmly, reduce wall deformation, avoid damage caused by external collision, and it is easier to clean.




143




- XL 239-C1240
- XL 234-C1260
- XL 235-C1280


Dimension



Installation steps




Accessories






144

Dimension



Installation steps



Accessories




XL 554-C1660




145


Dimension



Installation steps



Accessories



XL 293-C1460

Large size

Skirting light fixture

Large size
Skirting light fixture

146

The skirting lights play a visual balance in the room design. Using their linear vision, materials and colors to echo each other, they can beautify the decoration effect and outline the sense of space. Another function of the skirting line is its protection function. The skirting line can better bond the wall and the ground firmly, reduce wall deformation, avoid damage caused by external collision, and it is easier to clean.



147





XL 251-C6016




XL 188-C8016

Dimension



Installation steps



-1 -2 -3

Accessories



Large size

Skirting light fixture

Large size
Skirting light fixture

148



The skirting lights play a visual balance in the room design. Using their linear vision, materials and colors to echo each other, they can beautify the decoration effect and outline the sense of space. Another function of the skirting line is its protection function. The skirting line can better bond the wall and the ground firmly, reduce wall deformation, avoid damage caused by external collision, and it is easier to clean.





149




XL 517-C4013

XL 518-C4813

Dimension




Installation steps




Accessories






150

Dimension



Installation steps



Accessories




XL 830-C12019




151

Dimension



Installation steps




Accessories



XL 831-C9719

XL 832-C13419








152

Dimension

Installation steps




XL 214-C6818





153


Dimension

Installation steps



XL 224-C6615






154





XL 134-L6627

Dimension



Installation steps



Accessories




155





XL 630-L5425

Dimension




Installation steps






Accessories



Dimension



Installation steps



Accessories



XL 216-L4926

Stairs and inground light

Corner linear fixture

Stairs and the ground are no longer a simple bearing function.
Intelligence and light can make the space more layered




156

Medium size


Stairs and inground light series

Dimension



XL 295-D2513


Installation steps



Accessories




Dimension



XL 296-D1713

Installation steps



Accessories



157

Stairs and inground light

Corner linear fixture


Stairs and the ground are no longer a simple bearing function.
Intelligence and light can make the space more layered




Medium size

Stairs and inground light series


Dimension



XL 077-D2711



Installation steps




Accessories




Dimension



XL 131-D2126



Installation steps



Accessories



Stairs and inground light

Corner linear fixture

Stairs and the ground are no longer a simple bearing function
Intelligence and light can make the space more layered









160

161



Dimension

Installation steps



XL 246-D2544

XL 213-D3052

XL 244-D5052

Accessories





Magnetic track light and Anti-glare series

Corner linear fixture

Medium size
Magnetic track light and Anti-glare series



164



UGR line light series products can realize multi combination module change, and can integrate floodlight and spotlight. The highest uniform glare value (UGR < 12) can effectively reduce the damage of light to eyes and make the light infinitely natural and comfortable.




165

Dimension

Installation steps



Accessories





XL 219-C7052



166

Dimension

Installation steps



Accessories





XL 220-C7052

167

Dimension

Installation steps



Accessories





XL 218-C2652



168

Dimension

Installation steps



Accessories





XL 541-MB30

169

Dimension

Installation steps



Accessories




XL 241-MB1670




XL 332-BM4075

Dimension




Installation steps




Accessories




Dimension



Installation steps



Accessories



XL 240-BM6270

UGR<19


Anti-glare series



172



173





174

Dimension

Installation steps



XL 836-BM4375



Accessories





175

Dimension





XL 825-WM3370

XL 827-WM5580



Accessories







176

Dimension

Installation steps



XL 688-MB5575



Accessories



177

Dimension




Installation steps



XL 284-BM1724



XL 549-BM2637




Accessories



Magnetic track light and Anti-glare series


Corner linear fixture



178

UGR line light series products can realize multi combination module change, and can integrate floodlight and spotlight. The highest uniform glare value (UGR < 12) can effectively reduce the damage of light to eyes and make the light infinitely natural and comfortable.



Large size
Anti-glare light fixture



Dimension

Installation steps

179



XL 689-BM5075

Accessories




689 - L198mm

689 - L198mm




180

Dimension



Installation steps



Accessories




XL 184-BM2427




181


Dimension



Installation steps




Accessories



XL 682-BY4633



XL 684-BY6645






182

183

Commercial lighting



Recessed series



184

Recessed series

Corner linear fixture




XL 641-BM5035





XL 822-BM7535

Dimension




Installation steps

185




-OR-



Accessories








186

Dimension

Installation steps






Accessories



187

Dimension

Installation steps



Accessories



Recessed series

Corner linear fixture

Large size
Recessed series



188





XL 078-BY3627






XL 640-BY6535

Dimension





Installation steps



Accessories




189







190

Dimension

Installation steps




XL 667-BY12035



Accessories




XL 821-BY9535







Dimension

Installation steps

191




XL 680-BY13245



Accessories



XL 681-BY16245



Suspended series

Corner linear fixture

Large size
Suspended series



192




Dimension

Installation steps



193



XL 364-BM5075



XL 363-BM7075



-1

-2

Accessories








194

Dimension


Installation steps




XL 699-BM3475



Accessories




XL 674-BM5090





Dimension

Installation steps

195



XL 675-BM7595




Accessories



Suspended series

Corner linear fixture

Large size
Suspended series




196



197

Dimension



Installation steps



XL 698- BM5075



XL 110-BM5075



Accessories







198

Dimension


Installation steps



XL 501-BM5050



Accessories




XL 502-BM7080



Dimension

Installation steps

199



XL 132-BM5575




Accessories






200

Large size
Office lighting series
Various installation options



- 1- Cord installed to profile & nail into the ceiling
- 2- Complete fixed

All items of us can be satisfied with combinations by your willing. There are various installation options (recessed trim and no trim, surface-mounted and suspended) and diffuse or concentrated glare-free light versions, to meet all your requirements. The aluminum profiles also can be customized, there are available for both static and dimmable. Thanks to the subtle and purely technical aesthetics, they can be adapted to any architectural environment



201


-
- 1- Clip installed to profile
 - 2- Push into the slot
 - 3- Complete fixed



202




Dimension

Installation steps



XL 666-BM7575

XL 665-BM10075



Accessories



203




Dimension

Installation steps





XL 676-BM12075

XL 677-BM15075



Accessories







204

Dimension

Installation steps



Accessories





XL 644-BM5075

Dimension

Installation steps

205



Accessories



XL 643-BY6875

Suspended series

Corner linear fixture

Large size
Suspended series





206




XL 647-BM7575

XL 649-BM10075


Dimension



Installation steps



Accessories




Suspended series

Corner linear fixture

Large size
Suspended series



208





XL 646-BY9575






XL 648-BY12075


Dimension




Installation steps



Accessories



209





210

Dimension

Installation steps



XL 625-BM3860



Accessories





211

Dimension

Installation steps



XL 624-BM6565




Accessories





212



Suspended series
Corner linear fixture




213




Dimension




Installation steps



Accessories







214

Dimension

Installation steps



Accessories





XL 639-BM60



Dimension

Installation steps

215



Accessories



XL 193-BM86100





216

Dimension


Installation steps



XL 620-BM7250



Accessories




XL 182-BM6052





217

Dimension

Installation steps



XL 238-BM2555



Accessories



Suspended series

Corner linear fixture

Large size
Suspended series




218




XL 606-BM11060

Dimension



Installation steps




219

Accessories



Ingress Protection 65

Large size
Tri-proof light series



220

IP65


Tri-proof light

Tri-Proof light combined by aluminum 6063 and PC diffuser. They have a excellent heat dissipation and widely use for different lighting application. Tri-proof series products arrive IP65 waterproof, dust, corrosion and pressure-proof. Patent functional design with imaginative appearance. It widely applied in commercial lighting, public lighting and industrial lighting, such as supermarket, exhibition hall, parking lot, tunnel, train station, airport, factory, warehouse and food processing plant.




XL 694-S8065

Dimension



Installation steps



221

Accessories








222

Dimension

Installation steps



XL 302-S8065



Accessories





223

Dimension

Installation steps




XL 605-S6042



Accessories



XL 815-S6055







224

Dimension

Installation steps



XL 618-S9860



Accessories





225

Dimension

Installation steps



XL 622-S9070



Accessories



XILI SMART[®]
www.xilismart.com