
XILI SMARTI

Linear lighting





surface-mounted series / pg014~pg037



pg033


pg033

pg034

pg037

pg036

pg035



Corner light series /pg038~pg043



211-M0808 pg041



212-M1313 pg041



008-M1616 pg039



011-M1818 pg039




153-M3030 pg043




816-BM5050 pg043









183-M3020 pg045




pg046




229-M3617 pg047



pg049




195A-M1015 pg048



099-M3014 pg050




065-M2522 pg051



116-M3014 pg051




067-M2508 pg053



098-M3909 pg053

Three-sided light series / pg054~pg059







pg065




pg066




pg066



pg067



pg067



pg068


129B-Y1109 pg070 pg071


048B-Y2215 pg071

180-Y4320 pg068

628-Y4435 pg069


pg069









Black color series /pg094~pg099










Magnetic track light and Anti-glare series /pg106~pg125







surface-mounted series / pg126~pg131







Recessed series / pg132~pg135





Tri-proof light series / pg156~pg159























Installation steps **Dimension** -1









Accessories







Installation steps

















XQ-196-M1010

Installation steps Dimension -1 -3 XQ-086-M1013 Accessories **Installation steps Dimension** -1 -2 -3 XQ-187-M1213 Accessories


Installation steps **Dimension** -2 -3 XQ-066-M1208 **Accessories Installation steps Dimension** -1 -2 10.1 -3 XQ-107-M1308 Accessories


Installation steps Dimension -2 -3 XQ-108-M1515 **Accessories Installation steps Dimension** -1 -2 -3 XQ-005-M1407 Accessories







Installation steps









Accessories






XQ-058-M1814












Installation steps




XQ-006-M1712









Accessories






17 17 12.3


XQ-048-M1714

Installation steps













Dimension

Installation steps

-1







Accessories




XQ-130-M1715



Dimension

Installation steps




-2





-3



-OR




Magnet
























Installation steps




XQ-071-M2410











Accessories









XQ-210-M2010







XQ-168-M2020






Installation steps








Accessories










Dimension

Installation steps





XQ-818-M2427












XQ-111-M3535










Installation steps

-1














XQ-026-M3030






XQ-114-M2321





XQ-627-M3535














Accessories






Mini size Corner linear fixture

Corner light fixture series product is a compact, rounded asymmetrical channel with a 120-degree beam angle ideal for a wide, even spread of light. This channel is designed for corner and angled applications and includes a choice of clear, frosted or milky diffuser.






039


XQ-008-M1616

XQ-011-M1818






















XQ-816-BM5050









Installation steps

-1



-2



-3




Accessories





















XQ-229-M3617









8.0


XQ-195A-M1015








Accessories





XQ-171-M1312

Dimension Installation steps


-1





















Accessories












XQ-067-M2508




Dimension

20


XQ-156-MB2020


Installation steps
















XQ-631-M2120









Accessories















Accessories





XQ-070-M2020







XQ-069-M2027




XQ-069-M2027






Installation steps













Installation steps




XQ-174-M3035















XQ-175-M4542








Accessories






















-2



-3



Accessories






XQ-170-Y2409




Dimension Installation steps -2 24.7 -3 12.3 17.5 XQ-074-Y2514 **Accessories** Installation steps **Dimension** -2 -3 XQ-006B-Y2412 Accessories










XQ-180-Y4320











Accessories




XQ-177-Y2820






Installation steps




-2



XQ-129B-Y1109








Dimension

Installation steps







XQ-227-M3618







Dimension

Installation steps



XQ-232-M5036





Accessories






XQ-126-C5022
XQ-127-C4624










Dimension

XQ-259-C8958








Accessories











Installation steps




XQ-693-C10068













Accessories









Dimension

Installation steps



XQ-260-C9835













Dimension

-1





XQ-261-C10645







Dimension Installation steps हैं। हिंग हिंग हिंग हिंग हिंग हिंग -2 -3 XQ-124-C3313 -OR **Accessories Dimension Installation steps** -1 -2 12.5 XQ-125-C5315 -3 विद्याच्याच्याच्याच्या **Accessories** -17. 0-XQ-201-C5715

Dimension Installation steps Accessories XQ-126-C5022 **Dimension Installation steps** XQ-127-C4624

Accessories








Art aluminum profile

The skirting lights play a visual balance in the room design. Using their linear vision, materials and colors to echo each other, they can beautify the decoration effect and outline the sense of space. Another function of the skirting line is its protection function. The skirting line can better bond the wall and the ground firmly, reduce wall deformation, avoid damage caused by external collision, and it is easier to clean.










Dimension




Accessories

















XQ-830-C12019



Dimension


Installation steps



Accessories
















Dimension

Dimension













XQ-235-C8012


































XQ-521-Y0709




XQ-006-M1712
















Dimension


-2 -3 -Accessories























-3



Accessories







20.9


Installation steps




















Large size Inground light fixture




Dimension

25.2





-2










Magnetic Linear Track Light System












Trimless type











Dimension


Installation steps



XQ-240-BM6270



70



Accessories









Dimension

Installation steps



XQ-241-BM1670





Accessories





This series product is a groundbreaking sleek suspended fixture with both direct and indirect lighting capability and the option to be used exclusively for direct lighting. Its minimal design packs countless output configurations with anti-glare of 4 beam angle options from 15 degrees to 120 degrees, and either symmetric or asymmetric light shapes. Choose from a selection of standard elegant finishes and custom powder-coated and anodized finishes to complement any space.


















XQ-836-BM4375



































54.8

















XQ-826-BM3370



Accessories








689 - L198mm



Installation steps























Installation steps -1 -2 -3 Accessories

682- L132.5mm

684- L236mm




Large size Office lighting series Various intstallation options






- 1- Cord installed to profile & nail into the ceiling
- 2- Complete fixed


























-1






200.0





XQ-686-BM20050




Installation steps

-1




XQ-078-BY3627












Dimension




XQ-640-BY6535

Accessories



Dimension Installation steps Accessories XQ-667-BY12035 **Installation steps Dimension** XQ-821-BY9535 Accessories

Dimension Installation steps 132.0 Accessories XQ-680-BY13245 **Installation steps Dimension** 162. 0 XQ-681-BY16245 Accessories







Dimension Installation steps Installation ste

Accessories

XQ-699-BM3475











Installation steps




XQ-666-BM7575






-1








Accessories












XQ-676-BM12075







Installation steps










XQ-677-BM15075



Dimension

23.6 DRIVER 27.6


Installation steps



Accessories



XQ-674-BM5090






Dimension

28

Installation steps














Dimension

Installation steps








Accessories







XQ-643-BY6875



Dimension Installation steps -3 XQ-648-BY12075 Accessories **Dimension Installation steps** -2 -OR -3 100.0 XQ-649-BM10075 Accessories








Dimension


Installation steps



XQ-639-BM60







Accessories





.....




Dimension

Installation steps



XQ-193-MB86100






DRIVER CONTRACTOR OF THE PROPERTY OF THE PROPE


Accessories





Dimension Installation steps -2 -OR XQ-620-BM7250 Accessories **Installation steps Dimension** -1 -OR -2 XQ-182-BM6052 Accessories





DRIVER

Dimension



XQ-238-BM2555



Accessories







Dimension

Installation steps



XQ-673-BM8544



Accessories



-2




-3




use for different lighting application


Tri-proof series products arrive IP65 waterproof, dust, corrosion and pressure-proof. Patent functional design with imaginative appearance.

It widely applied in commercial lighting, public lighting and industrial lighting, such as supermarket, exhibition hall, parking lot, tunnel ,train station, airport, factory, warehouse and food processing plant.





Dimension Installation steps -1 -2 -OR XQ-605-S6042 Accessories **Installation steps Dimension** -2 -OR XQ-815-S6055 Accessories








Dimension

Installation steps

-1







XQ-076-BY10055

Accessories







Address:

NO.5 21Building, Ruifeng international lights city
Guzhen, Zhongshan City
Tel: +86 0760-22382556
E-mail: sililighting.com@gmail.com

-mail. Sillighting.com@gmail.cor Http://www.xilismart.com

